

**INSTALLATION INSTRUCTIONS**


**MODEL: 22012XX, 22012, 22019 – GEAR-UP™ SPORTS BASKET**

**THANK YOU FOR YOUR PURCHASE.** We take a **SATISFACTION GUARANTEED** approach to our products and our business. If you are not satisfied in any way, or if we can provide you with assistance or information, PLEASE call us TOLL FREE at 800-346-7332.

The GEARUP™ Sports Basket is designed to fit all GEARUP™ Aluminum Floor to Ceiling, GEARUP™ OAK Floor to Ceiling (Model 20095), and GEARUP™ OAK Free Standing (Model 20093) Bicycles Storage Racks.



Sports Basket on Aluminum Rack




Sports Basket on OAK Rack

**Bill of Material:**

A.	1 ea.	22012N	Sports Basket
C.	1 ea.	60001	Hex Key 3/16" (Alum. Racks)
D.	2 ea.	60004	SHCS ¼ - 20 x ¾" (Alum. Racks)
E.	2 ea.	60006	Flat Washer (Alum. Racks)
F.	2 ea.	60019	JCS Gold Screw (OAK Racks)
G.	1 ea.	60020	Hex Key 4mm (OAK Racks)
H.	2 ea.	60032	Slide Nut – 1 hole (Alum. Racks)
G.	2 ea.	80010	OAK Spacer Block (OAK Racks)

\*PLEASE NOTE – MODEL 22012 WILL ONLY HAVE THE ALUM. RACK PARTS, MODEL 22019 WILL ONLY HAVE THE OAK RACK PARTS

**ASSEMBLY:**



STEP 1 – BEGIN SPORTS BASKET ASSEMBLY



STEP 2 – FOLD BOTTOM UP AS SHOWN IN DIAGRAM



STEP 3 – POP SIDES OF SPORTSBASKET UP



STEP 4 – SWING BOTTOM AROUND AND HOOK OVER



CLOSE UP OF BOTTOM HOOKING OVER SIDE

## NOW YOU'RE READY TO INSTALL THE SPORTS BASKET ON YOUR RACK

### **GEARUP™ BUA Aluminum Bicycle Racks**

1. Facing rack, determine the desired positioning of the Sports Basket ensuring it will not interfere with your bicycles and/or other installed accessories.
2. Before installing, remove all bicycles and accessories for safe keeping during the installation process. Depending on where you install the Sports Basket, you may have to temporarily remove the upper or lower Bicycle Holder arms and/or other installed accessories.
3. Position the Sports Baskets against main body of your rack as shown on page 1. If the mounting brackets do not fit, gently spread them apart until they fit.
4. Insert  $\frac{3}{4}$ " SHCSs through flat washer through wire loop of the Sports Basket hanger and screw into flat side of the slide nut. **DO NOT TIGHTEN – maintain as much slack as possible.**
5. From STEP 4, insert the slide nuts (now attached to the Sports Basket) into the side channels of the main body of your BUA Rack and gently move the Sports Baskets to the desired position. Once positioned, tighten the SHCS's with the  $\frac{3}{16}$ " Hex Key.
6. Re-install any removed Bicycle Arms and/or Accessories

### **GEARUP™ OAK Floor-To-Ceiling & OAK Free Standing Bicycle Racks**

1. Facing rack, determine the desired positioning of the Sports Basket ensuring it does not interfere with your bicycles and/or other installed accessories.
2. Before installing, remove all bicycles and/or stored accessories for safe keeping during the assembly process.
3. Position Sports Baskets. Insert Gold Screws through Basket Hangers and screw partially into outside uprights. Insert OAK Spacer Block between the outside uprights and center upright, and finish screwing the Gold Screws into the spacer blocks.